BlockBox AC

MOBILE DATA CENTER FOR BITCOIN MINING









Product Overview

BITFURY BLOCKBOX AC

The Bitfury BlockBox AC is a containerized data center for bitcoin mining. Capitalizing on its expertise in the field the Bitfury Group—a leading end-to-end blockchain solutions provider with offices in Washington D.C., London, Amsterdam, Tokyo, Hong Kong, Seoul, Dubai and Moscow—designed the Bitfury BlockBox AC to be a plug-and-play solution that substantially shortens the time required to start mining bitcoin on industrial scale.

Bitfury BlockBox AC contains up to 176 Bitfury mining servers.

The solution has a form-factor of a standard 40 feet High Cube freight container for ease of transportation and installation. Installation is simple and straightforward on any site that has sufficient power and internet available.

The typical users of Bitfury BlockBox AC are: investment companies that use bitcoin mining to improve the corporate bottom line; industrial companies, that have access to large amounts of readily available electric energy; and any other businesses interested in using bitcoin mining as an additional source of income.

Key benefits

Bitfury BlockBox AC is one of the most powerful and cost effective bitcoin mining units available on the market. The key advantages of the solution are portability, quick-start installation. innovations, resilience, monitoring, and cutting-edge technology.



PORTABILITY

Bitfury BlockBox AC is a full-featured, self-contained solution for bitcoin mining, delivered in a 40' High Cube freight container.

The installation of Bitfury BlockBox AC requires footing preparation(metallegs,concreteblock,oraconcrete/asphalt platform), power supply, and internet connection.

Once installed, no further investments of time, capital, or expertise are required for the solution maintenance.



QUICK START

It takes two days to install Bitfury BlockBox AC on a properly prepared site.

Once installed, the solution connects to the mining pool, and immediately starts to generate income. The Bitfury BlockBox AC software establishes a connection to the Bitfury pool, one of the largest bitcoin mining pools.



INNOVATIONS

The solution is based on a modern hardware and software manufactured by The Bitfury Group, a developer of innovative technologies for bitcoin mining.

Bitfury BlockBox AC is based on modular architecture principles.

Multiple Bitfury BlockBox AC units can easily be deployed for building mining farms of any scale.



RESILIENCE

The Bitfury BlockBox AC solution is supported remotely by a team of trained professionals. The Bitfury Group engineers and service partners ensure the equipment operates at top capacity. All solution components — from servers and their elements to power supply units and coolers - are replaceable.

In case of malfunction, the service support team, using remote monitoring so ware, localizes the faulty elements and provides instructions for its replacement.

 $\overline{\bullet}$

MONITORING

The Bitfury BlockBox AC owner monitors the equipment using built-in software or a mobile app, displaying key performance indicators.




CUTTING-EDGE TECHNOLOGY

The Bitfury BlockBox AC can always be kept at the cutting edge of modern technology. The solution, both software and hardware components, can be easily upgraded.

The modular architecture of the Bitfury BlockBox AC and its servers allows it to keep in place more than the half of components when upgrading hardware to keep up with technology advances and ASIC chips progress. This feature of the Bitfury BlockBox AC is unique on the bitcoin mining solutions market.

Bitfury BlockBox AC up to 176 Bitfury mining servers ELECTRICITY **PERFORMANCE MONITORING** BITFURY to the level of single component 1.13-1.15 MW **MINING POOL** $\uparrow\uparrow\uparrow$ **OPEN SPACE** free air flow 40' HIGH CUBE -40°C to +40°C **HOT SWAP OF** (extreme ambient conditions container **COMPONENTS** may influence performance)







WEIGHT AND DIMENSIONS

Bitfury BlockBox AC is delivered in a 40' High Cube freight container.

Listed below are the basic solution features. The exact equipment dimensions, weight, and technical specifications are subject to change.



• -

INSTALLATION

An electrician with an authorization for working with up to 400 V equipment can connect Bitfury BlockBox AC to a power supply.

Bitfury BlockBox AC requires a concrete or asphalt footing for the installation and an IT box for the connection to the mining pool.

Technical specifications

Parameter	Description
Container dimensions in closed position (length × width × height)	40' × 8' × 9
Door opening	7' 8'' × 8' 6
Weight	26,455 lb (configurati
	1.13-1.15
Power supply	1.5 MW tra three-phas
Internet connection	Reliable Int 2 Mbps and www.bitfu
Installation	50–60 cm underside
Backup power supply	Diesel gene uninterrup
Backup Internet connection	1.5 Mbps
Ambient temperature range	-40 to 113
Space capacity	Up to 176 I

n

9.6' (12.2 m × 2.5 m × 2.9 m)

6" (2.4 m × 2.6 m)

(12 T) of equipped weight in basic tion

MW ±5%

ansformer with two 700 A se leads is recommended

nternet connection with at least nd maximum 50 ms latency to the ury.com

between the footing and the container

nerating set or a 40 kW commercial oted power supply unit

3°F (-40 to +40°C)

Bitfury Mining Servers (19"-rack 6U)

CONTACT

sales@bitfury.com

AMSTERDAM OFFICE

Herengracht 168, 1016 BP, Amsterdam, The Netherlands

HONG KONG OFFICE

Global Trade Centre, Units 305-307, 3/F 15 Wing Kin Road Kwai Chung, N.T.

WASHINGTON, DC OFFICE

1440 G St., NW, Suite 900, Washington, D.C., 20001, United States

TOKYO OFFICE

6-5-1 Nishi Shinjuku, Shinjuku-ku, Tokyo, Shinjuku Island, Tower 5F, Japan

LONDON OFFICE

Level 39, One Canada Square, Canary Wharf, London, E14 5AB, UK

MOSCOW OFFICE

Office 30, room I, floor 39, 1-Y, 15, Krasnogvardeyskiy Proyezd, Moscow, 123100, Russia

SEOUL OFFICE

311, Gangnamdaero, Seocho-gu, Seoul, 06628, Republic of Korea

DUBAI OFFICE

Dubai Design District (D3), Building 3, 3rd Floor, Office 333, P.O. BOX 333 019, Dubai, United Arab Emirates

The information contained in this paper represents the current views of The Bitfury Group on the issues discussed as of the date of publication. Due to ever changing market conditions, this paper cannot be considered as any obligation on the part of The Bitfury Group, and The Bitfury Group cannot guarantee the accuracy of any information presented after the date of publication.

This document is intended for informational purposes only. In this paper, The Bitfury Group provides no guarantees, either express or implied.

www.bitfury.com

The Bitfury Group © 2020

BITFURY